

Package: PreKnitPostHTMLRender (via r-universe)

September 4, 2024

Title Pre-Knitting Processing and Post HTML-Rendering Processing

Version 0.1.1

Date 2016-06-11

Author Chin Soon Lim [aut]

Maintainer Chin Soon Lim <chinsoon12@hotmail.com>

Description Dynamize headers or R code within 'Rmd' files to prevent proliferation of 'Rmd' files for similar reports. Add in external HTML document within 'rmarkdown' rendered HTML doc.

Depends R (>= 3.3.0)

Imports utils, tools, XML (>= 3.98-1.4), knitr (>= 1.13), rmarkdown (>= 0.9.6)

SystemRequirements pandoc (>= 1.12.3) -
http://johnmacfarlane.net/pandoc

License GPL (>= 2) | file LICENSE

RoxygenNote 5.0.1

URL <https://github.com/chinsoon12/PreKnitPostHTMLRender>

BugReports <https://github.com/chinsoon12/PreKnitPostHTMLRender>

Repository <https://chinsoon12.r-universe.dev>

RemoteUrl <https://github.com/chinsoon12/preknitposthtmlrender>

RemoteRef HEAD

RemoteSha 6287d0fdc8006306ec65f04d5ba9dd83e0f8af5

Contents

post_html_render_proc	2
preknit_knit_render_postrender	2
pre_knit_proc	3
run_code	4

Index

5

`post_html_render_proc` *Post HTML-Rendering Processing*

Description

Evaluates code chunks in between ‘ these code chunks with evaluated output captured using capture.output function. Typically, we want to insert an external HTML file and we can use ‘ This function will read in the external html file and replace this ‘ contents in the html file.

Usage

```
post_html_render_proc(inhtml, outhtml = NULL)
```

Arguments

<code>inhtml</code>	- input file for be processed
<code>outhtml</code>	- output file name

`preknit_knit_render_postrender`

First Pre-knitting Processing, then knitr::knit, then rmarkdown::render, then Post HTML-rendering Processing

Description

1) In pre-knitting processing, function takes in a Rmd file, evaluates code chunks which are marked as between adjacent lines of @@@s, and then replace these code chunks with evaluated output captured using capture.output function. 2) Function then calls knitr::knit followed by rmarkdown::render. 3) After which, in post HTML-rendering processing, function evaluates code chunks in between ‘ captured using capture.output function. Typically, we want to insert an external HTML file and we can use ‘ This function will read in the external html file and replace this ‘ contents in the html file.

Usage

```
preknit_knit_render_postrender(pRmdfile, outhtml = NULL)
```

Arguments

<code>pRmdfile</code>	- input Rmd file
<code>outhtml</code>	- output html file

Value

The output html file will have the codes between @@@ and/or `%%` (where ` is a backtick) code chunks evaluated

Examples

```
oldwd <- getwd()
setwd(tempdir())

#pandoc.exe is required to run this code
samplermd <- tempfile('test', getwd(), '.Rmd')
addhtml <- 'test__test.html'

#generate the test Rmd file
writelines(c('---',
'title: "Example Usage"',
'output: html_document',
'---',
 '',
'This document is used for various similar reports.',
 '',
'@@@',
"cat(paste('#Dynamic Header1', rnorm(1)))",
'@@@',
 '',
'`%%% writeLines(readLines("test__test.html"))`',
 '',
'@@@',
'cat(paste("##Dynamic Header2", rnorm(1)))',
'@@@',
 '',
'Some content is invariant across different reports.'), samplermd)

#generate test html file
writeLines(c('<ul>',
'<li>Item 1</li>',
'<li>Item 2</li>',
'<li>Item 3</li>',
'</ul>'), addhtml)

#Pre-knit processing and post HTML render processing
preknit_knit_render_postrender(samplermd, "sample__html.html")

#output 'sample__html.html' is in tempdir()

setwd(oldwd)
```

Description

Evaluates code chunks which are marked as between adjacent lines of @@s. Replace these code chunks with evaluated output captured using capture.output function.

Usage

```
pre_knit_proc(infile, outfile = NULL)
```

Arguments

- | | |
|---------|-------------------------------|
| infile | - input file for be processed |
| outfile | - output file name |

run_code	<i>Eval a line of code and capture output</i>
----------	---

Description

Run a line of code and capture output into a character string

Usage

```
run_code(oneline, envir)
```

Arguments

- | | |
|---------|---------------------------------------|
| oneline | - code line |
| envir | - environment to evaluate the code in |

Index

[post_html_render_proc, 2](#)
[pre_knit_proc, 3](#)
[preknit_knit_render_postrender, 2](#)
[run_code, 4](#)